



















CENOVNIK HUNT IP KAMERA I OPREME ZA VIDEO NADZOR 01-04-2013

Tisab d.o.o. ul. Tošin Bunar 143 (Studentski grad, I blok - krilo G) 11070 Novi Beograd	<a href="http://www.tisab.rs">www.tisab.rs</a>
Tel:+381 11 3103-999, fax. +381 11 214-64-34, mob. +381 64 87-515-12 e-mail: zarko@tisab.rs, skype: tisab-bg	<a href="http://www.ipkamere.com">www.ipkamere.com</a>

Fiksne IP FULL HD kamere

Slika	Opis	Model	Cena (EUR)
	HUNT HLV-1WCF 5 megapikslna antivandal dome IP kamera u kućištu za spoljašnju montažu, dan/noć, rezolucije 2592x1944@15fps, 2048x1536@15fps, 1920x1080@30fps, Vari-focal 3-9mm F1.8, Color : 0.5 Lux (IR OFF) / W: 0 Lux (IR ON), 18 LEDs, 15 Meters, Input: Audio input Output: Line output Support 2-way audio, DC12V: 4.8W (IR Off) 6.1W (IR On) PoE: 5.8W (IR Off) 7.2W (IR On), IP66, 3-Axis bracket, Vandal Proof, Motion Detection, Privacy Mask, support Micro SD card, BNC	HLV-1WCF	358,4 €
	HUNT HLC-79CT 3 megapikslna dan-noć bullet IP kamera u kućištu za spoljašnju montažu 1920x1080@30fps features the 1/3" CMOS Sensor which can achieve 3-megapixel resolution. With removable IR-cut Filter, true Day & Night function helps capturing detailed images in the dark environment. Besides, The application of WDR technique provides distinct images even there's sharp contrast in the view. * 3 Megapixel IR Bullet IP Camera * External Vari-focal lens adjustment * 3D+2D Digital Noise Reduction * Supports WDR Enhancement in Extremely Bright and Dark Environments * Power over Ethernet available * IR LED Built in 25M available * Mechanism IR Cut Filter Available * H.264/ M-JPEG/ MPEG4 compression * Micro SD card backup(option) * 2-way audio * Video Output * IP66 * Support iPhone/Android/Mac * SDK for Software Integration * Free Bundle 36 Ch recording software	HLC-79CD	358,4 €
	HUNT HLC-79AD 2 megapikslna bullet IP kamera dan/noć u kućištu za spoljašnju montažu, H.264 True DAY/NIGHT IP kamera ili HD 720p (1280x720)/30FPS. 1/3.2" SuperCMOS. Varifokalni objektiv 3.6-16mm/F1.2 – automatski iris, eksterno podešavanje objektivna, IR cut Filter. IP66 – za spoljnu montažu. H.264/MPEG-4/MJPEG, rezolucija 1600x1200/12fps, SXVGA(1280x1024)/16ps, HD(1280x720)/30ps, VGA(640x480)/30fps. Sa 35 LED osvetljava do 25m. Dvosmerna audio komunikacija. Network: 10 Base-T/100 Base-TX Ethernet, Communication protocol: HTTP, TCP/ IP, UDP, SMTP, FTP, PPPoE, DHCP, DDNS, NTP, 3GPP, UPnP; napajanje DC12V/450mA, PoE, s nosačem. SD card back up, 1 alarmni ulaz/izlaz. Sa softverom za nadzor i upravljanje za 36 kamera. Hunt, Taiwan	HLC-79AD	283,0 €
	Kolor 2 megapikslna IP bullet kamera dan-noć u kućištu za spoljašnju montažu, H.264 IP kamera ili HD 720p (1280x720)/30FPS. 1/3. 2" Super CMOS. Varifokalni objektiv 3.6-16mm/F1.2 – automatski iris, eksterno podešavanje objektivna, IR cut Filter. IP66 – za spoljnu montažu. H.264/MPEG-4/MJPEG, rezolucija 1600x1200/12fps, SXVGA(1280x1024)/16ps, HD(1280x720)/30ps, VGA(640x480)/30fps. SA 56 LED osvetljava do 40m – pogodna za perimetarsku zaštitu. Dvosmerna audio komunikacija. Network: 10 Base-T/100 Base-TX Ethernet, Communication protocol: HTTP, TCP/ IP, UDP, SMTP, FTP, PPPoE, DHCP, DDNS, NTP, 3GPP, UPnP; napajanje DC12V/800mA, sa nosačem. SD card back up, dvosmerni prenos zvuka, 1 alarmni ulaz/izlaz. Sa softverom za nadzor i upravljanje za 36 kamera. Hunt, Taiwan	HLC-7RAD/40M	319,1 €

 <p><b>HUNI</b></p>	<p>Hunt HLC-1NAD kolor 2 megapiksela IP dome dan/noć kamera. 1/3" Progressive Scan CMOS senzor. Dual stream. Minimalna osvetljenost 1Lux/F1.2, sa IR CUT filterom; CS mount, IRIS control. H.264/MJPEG kompresija, rezolucija 1600x1200/15fps,1280x960/25fps, VGA(640x480)/25fps. Sa IR rasvetom do 15m. Ugrađen varifokalni megapiksela objektiv 2.7-9mm/F1.2. Dvosmerni audio komunikacija. Network: 10 Base-T/100 Base-TX Ethernet. Communication protocol: HTTP, TCP/ IP, UDP, SMTP, FTP, PPPoE, DHCP, DDNS, NTP, 3GPP, UPnP; 1 alarmni ulaz/izlaz. Kompozitni analogni video izlaz za lokalni video zapis i podešavanje. Potrošnja: DC12V/0.55A, s adapterom i nosačem, PoE. Wireless 802.11b/g - opcija. SD card back up. Sa softverom za nadzor i upravljanje za 36 kamera. Podešavanje u tri ose. Hunt, Taiwan</p>	<p>HLC-1NAD</p>	<p>315,6 €</p>
 <p><b>HUNI</b></p>	<p>HLC-1NAD/360 2 megapiksela panoramska IP kamera</p> <ul style="list-style-type: none"> <li>■ One 360° panorama view can replace multiple cameras view</li> <li>■ No blind spot in 360° panorama view</li> <li>■ Support three monitoring modes</li> <li>■ Digital PTZ function: Support to monitor multi- positions and angles at the same time</li> <li>■ 8X best performance for Digital-Zoom in/ Zoom out function</li> <li>■ No blurred situation occurred when image position is altered</li> <li>■ Low mechanism failure rates</li> <li>■ 360° panorama view without distortion via image correction</li> <li>■ Support Video out</li> <li>■ Power over Ethernet available</li> <li>■ H.264/ M-JPEG/ MPEG4 (3GPP only)</li> <li>■ SD card backup</li> </ul>	<p>HLC-1NAD/360</p>	<p>537,8 €</p>
 <p><b>HUNI</b></p>	<p>HUNT HLC-81CD IP Full HD kamera 1080P Real time</p> <ul style="list-style-type: none"> <li>■ 3D+2D Digital Noise Reduction</li> <li>■ Digital Wide Dynamic Range</li> <li>■ Shutter Speed adjustable</li> <li>■ Sense Up adjustable</li> <li>■ Day&amp;Night Switch time control manually</li> <li>■ IR-Cut filter (Option)</li> <li>■ Power over Ethernet available</li> <li>■ Video output</li> <li>■ 3G dongle support(option)</li> <li>■ H.264/ M-JPEG / MPEG4 (3GPP Only) compression</li> <li>■ SD card backup</li> <li>■ Support iPhone/Android/Mac</li> <li>■ Triple Streaming</li> <li>■ SDK for Software Integration</li> <li>■ Free Bundle 36 ch recording software</li> </ul>	<p>HUNT HLC-81CD</p>	<p>270,0 €</p>
	<p>Profesionalni softver za snimanje, s podrškom za analitičke funkcije - inteligentni video nadzor (IVS). Podržava: Nestali i izgubljeni objekti, Detekcija gužve, Nepoznati objekti, Nefokusirana kamera, Praćenje objekata u pokretu, Brojanje ljudi. Podržava H.264/MPEG-4/MJPEG ili megapiksela kamere. Live PTZ kontrola, kontrola snimka. Eksport podataka u AVI, JPEG format, audio zapis, podrška za dva monitora, POP UP, 3GP i dr. Podržani brendovi: Hunt, Axis, Panasonic, ACTi i dr. Hunt, Taiwan</p>	<p>ISS-XXI</p>	<p>0,0 €</p>
	<p>Profesionalni softver za snimanje za Hunt 4 kamere. 2 kanala sa IVS.</p>	<p>ISS-04I</p>	<p>236,3 €</p>
	<p>Profesionalni softver za snimanje za Hunt 9 kamere. 2 kanala sa IVS.</p>	<p>ISS-9I</p>	<p>306,0 €</p>
	<p>Profesionalni softver za snimanje za Hunt 16 kamere. 2 kanala sa IVS.</p>	<p>ISS-16I</p>	<p>470,3 €</p>
	<p>Profesionalni softver za snimanje za Hunt 36 kamere. 2 kanala sa IVS.</p>	<p>ISS-36I</p>	<p>704,3 €</p>
	<p>Profesionalni softver za snimanje za Hunt 72 kamere. 2 kanala sa IVS.</p>	<p>ISS-72I</p>	<p>938,3 €</p>
 <p><b>HUNI</b></p>	<p>HUNT HLV-1WBD/F Panoramsna antivandal IP kamera. 5 Megapixel senzor, 1080P real time H.264. Software PTZ. POE, 1.19mm fish eye lens, IP 66, 0 Lux, H.264/MJPEG/MPEG4 compression, SD card backup, two way audio, mobile surveillance function, SDK, 36ch reocording s/w, DC12V Hunt, Taiwan</p>	<p>HUNT HLV-1WBD/F</p>	<p>569,3 €</p>

	<p>HLC-81AD Kolor 2 MPixel TRUE D/N IP kamera. 1/3" Progressive Scan CMOS senzor. Dual stream. Minimalna osvetljenost 1Lux/F1.2,sa IR CUT filterom; CS mount, IRIS control. H.264/MJPEG kompresija,rezolucija 1600x1200/15fps,1280x960/25fps, VGA(640x480)/25fps. Dvosmerna audio komunikacija.Network: 10 Base-T/100 Base-TX Ethernet. Communication protocol: HTTP, TCP/ IP, UDP, SMTP, FTP, PPPoE, DHCP, DDNS, NTP, 3GPP, UPnP; 1 alarmni ulaz/izlaz. Kompozitni analogni video izlaz za lokalni video zapis i podešavanje. Potrošnja: DC12V/0.55A, s adapterom i nosačem, PoE. Wireless 802.11b/g - opcija. SD card back up. Sa softverom za nadzor i upravljanje za 36 kamera. Hunt, Taiwan</p>	<p>HLC-81AD</p>	<p>265,28 €</p>
	<p>4 kanalni mrežni rekorder. Podrška za 2xSATA. Linux OS, Real Time prikaz i snimak za 4 IP kamere – svaki sa maksimalnom rezolucijom do 2M(1600x1200)/25FPS. 4 kanala zvuk. 4 alarmna ulaza, 2 alarmna izlaza, RS485. Podrška H.264, MPEG-4, MJPEG kompresije. Kompletan izbor funkcija za podešavanje snimka – po zadatim intervalima, pri pokretu,alarmni, Pre/Post record itd. LAN: 1xGigalan. Podrška FTP, WEB server. Izlaz za VGA lokalni monitor za prikaz, pregled snimka, podešavanje - preko GUI.Podrška za sve Hunt modele. Nadzor preko mobilnog telefona 3G, I-phone, Android, Windows mobile, Symbian. CMS. HUNT, Taiwan</p>	<p>HNR-04AF</p>	<p>387,02 €</p>
	<p>9 kanalni mrežni rekorder. Podrška 4xSATA. Linux OS, Real Time prikaz i zapis do 9 IP kamera – svaki kanal sa maksimalnom rezolucijom do 2M(1600x1200)/25FPS. 8 kanala zvuk. 8 alarmnih ulaza, 2 alarmna izlaza, RS485. Podrška za H.264 kompresiju. Kompletan izbor funkcija za podešavanje snimka – po zadatim intervalima, pri pokretu,alarmni, Pre/Post record itd.LAN: 1xGigalan. Podrška za FTP, WEB server. Podrška za VGA lokalni monitor za vizuelizaciju, pregled snimka,upravljanje - posredstvom GUI. Podrška za sve Hunt modele. Nadzor preko mobilnog telefona 3G, I-phone, Android, Windows mobile, Symbian. CMS.Do 4 klijenta. HUNT, Taiwan</p>	<p>HNR-09AF</p>	<p>623,78 €</p>
	<p>16 kanalni mrežni rekorder. Podrška 4xSATA. Linux OS, Real Time prikaz i zapis do 16 IP kamera – svaki kanal sa maksimalnom rezolucijom do 2M(1600x1200)/25FPS. 16 kanala zvuk. 16 alarmnih ulaza, 2 alarmna izlaza, RS485. Podrška za H.264 kompresiju. Kompletan izbor funkcija za podešavanje snimka – po zadatim intervalima, pri pokretu,alarmni, Pre/Post record itd.LAN: 1xGigalan. Podrška za FTP, WEB server. Podrška za VGA lokalni monitor za vizuelizaciju, HDMI 1080p, pregled snimka,upravljanje - posredstvom GUI. Podrška za sve Hunt modele. Nadzor preko mobilnog telefona 3G, I-phone, Android, Windows mobile, Symbian. CMS.Do 4 klijenta. HUNT, Taiwan</p>	<p>HNR-16AF</p>	<p>1,064,97</p>
	<p>NVR HNR-25DF/4 25ch H.264 triplex real time NVR, support IP cam resolution up to 3M, 30/25pps perchannel, VGA &amp; HDMI output for Full HD, external USB HDD &amp; USB pan driver for backup, 8alarm input ,2 alarm output, RS485, support free CMS/privacy mask/water mark/pre-alarm/NVRLOG/mobile surveillance function, 2 way audio with IP camera, support 4 internal HDD, W/OHDD</p>	<p>NVR HNR-25DF/4</p>	<p>1,827,0</p>
	<p>TAMRON optika 3-8mm Autoiris Megapiksel M13VG308, DAN-NOĆ</p>	<p>M13VG308</p>	<p>133,2 €</p>
	<p>Mrežni video rekorder-KOUKAAM KNR-5024 - NVR 24 - kanalni - podržava Sony, Axis, Hunt, Vivotek, i mnoge druge proizvođače tipa KOUKAAM KNR-5024 Open platform Network Video Recorder, stand alone Linux embedded system for 24 channels IP camera management. 5x SATA interface. Integrated I/O system with Koukaam NETIO series. Live view, Record, Playback, Motion detection, Rule setting.</p>	<p>KOUKAAM KNR-5024</p>	<p>1,272,0</p>