














CENOVNIK VIVOTEK IP OPREME ZA VIDEO NADZOR 10-10-2012






Tisab d.o.o. ul. Tošin Bunar 143 (Studentski grad, I blok - krilo G) 11070 Novi Beograd	www.tisab.rs
Tel: +381 11 3103-999, fax. +381 11 214-64-34, mob. +381 64 87-515-12 e-mail: office@tisab.rs, skype: tisab-bg	www.ipkamere.com

















Fiksne IP FULL HD kamere











Slika	Opis	Model	Cena (EUR)
	VIVOTEK IP8162 kamera 2-megapixel CMOS Sensor 3.1 ~ 8 mm Vari-focal, Auto iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in Focus Assist Button for Precise Focus Adjustment Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Simultaneous Multiple Streams Video Cropping for Bandwidth Saving ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Built-in SD/SDHC Card Slot for On-board Storage Built-in 802.3af Compliant PoE	IP8162	619,0 €
	Vivotek IP8162P 2-megapixelna Full HD (P-iris) Focus Assist WDR poboljšana H.264 dnevna&noćna fiksna mrežna kamera - 2-megapixel CMOS Sensor 3.1 ~ 8 mm Vari-focal, P-iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in Focus Assist Button for Precise Focus Adjustment Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Simultaneous Multiple Streams Video Cropping for Bandwidth Saving ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Built-in SD/SDHC Card Slot for On-board Storage Built-in 802.3af Compliant PoE	IP8162P	651,0 €
	VIVOTEK IP8362 kamera 2-megapixel CMOS Sensor 3 ~ 9 mm Vari-focal, Auto-iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, effective up to 15 Meters Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP67 rated Housing Built-in 802.3af Compliant PoE Built-in SD/SDHC Card Slot for On-board Storage Mounting Bracket with Cable Management for Protected Installation	IP8362	617,0 €
	VIVOTEK IP8352 1.3 Megapixel CMOS Sensor Supreme Night Visibility Up to 60 fps @ 720p HD Up to 30 fps @ 1280x1024 (1.3MP) 3 ~ 9 mm Vari-focal, Auto-iris Lens Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, effective up to 20 Meters Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP67 rated Housing Built-in 802.3af Compliant PoE (Class 3) Built-in MicroSD/SDHC Card Slot for On-board Storage Supports Gigabit Ethernet Data Transmission Mounting Bracket with Cable Management for Protected Installation	IP8352	549,0 €
	VIVOTEK FD8171V antivandal kamera rezolucije 3.1 Megapiksela koja pokriva 360 stepeni, optika 1.27 mm/F 2.8 Board lens Fixed Removable IR-cut filter for day & night function - 3.1-megapixel CMOS Sensor 1.27 mm Fisheye Lens for 180° Panoramic View and 360° Surround View Removable IR-cut Filter for Day & Night Function EN50155 Compliance for Professional Mobile Surveillance Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Vandal-proof IK10-rated and Weather-proof IP66-rated Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC Card Slot for On-board Storage	FE8171V	593,0 €
	VIVOTEK FD8362 2-Megapiksela antivandal kamera sa daljinskim fokusiranjem, WDR, optika f=3-9 mm/F 1.2 (wide) F 2.1 (tele) auto iris, CMOS Sensor Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Smart Focus System for Remote and Precise Focus Adjustment Vandal-proof IK10-rated and Weather-proof IP66-rated Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	FD8362	666,0 €
	VIVOTEK FD8362E 2-Megapiksela antivandal kamera sa daljinskim fokusiranjem, WDR, optika f=3-9 mm/F 1.2 (wide) F 2.1 (tele) auto iris, radna temperatura -40 °C ~ 55 °C za ekstremne uslove, CMOS Sensor Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Smart Focus System for Remote and Precise Focus Adjustment Vandal-proof IK10-rated and Weather-proof IP66-rated Housing -40 °C ~ 55 °C Wide Temperature Range for Extreme Weather Conditions Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	FD8362E	720,0 €







	Vivotek FD8372 5-Megapikselsna dome outdoor IP66 anti-vandal IK10 dan-noć IP kamera, Progressive Scan FullHD 1080P@30 fps, IR LED 20m, WDR, Vari-focal, H.264 Adaptive Stream, Smart Focus, ePTZ, lokalno snimanje, audio, 3xDI+DO, PoE	FD8372	725,0 €
	Vivotek FD8335H dome outdoor IP66 anti-vandal IK10 dan-noć IP kamera, 1 Mega Pixel, 720P HD@30 fps, 0.001 Lux WDR Pro, 18 IR LED do 20m, Vari-focal, P-iris, Smart Focus, H.264, ePTZ, lokalno snimanje, audio, 3xDI+DO, PoE	FD8335H	472,0 €
	VIVOTEK MD8562D minidome antivandal FULL HD kamera (2-megapiksela - 1920x1080 up to 30fps) , optika 2.8 mm/F 2.0, CMOS Sensor, Up to 30 fps @ 1080p Full HD Wide Angle Fixed Lens EN50155 Compliance for Professional Mobile Surveillance Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Vandal-proof IK10-rated and Weather-proof IP67-rated Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage. Napajanje 12VDC	MD8562D	364,0 €
	VIVOTEK MD8562 minidome antivandal FULL HD kamera (2-megapiksela - 1920x1080 up to 30fps), optika 2.8 mm/F 2.0, CMOS Sensor, Up to 30 fps @ 1080p Full HD Wide Angle Fixed Lens EN50155 Compliance for Professional Mobile Surveillance Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Vandal-proof IK10-rated and Weather-proof IP67-rated Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	MD8562	364,0 €
	VIVOTEK FD8162 FULL HD dan-noć kamera (2-megapiksela - 1920x1080 up to 30fps) 1/2.7" WDR CMOS, 3-9mm Lens, Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, effective up to 15 Meters Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Built-in PIR Sensor for Human Detection WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Built-in Focus Assist Button for Precise Focus Adjustment Hassle-free Installation Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	FD8162	543,0 €
	Vivotek FD8162V 2-Megapixel CMOS Sensor Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, Effective up to 15 Meters Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments Built-in Focus Assist Button for Precise Focus Adjustment Vandal-proof IK10-rated and Weather-proof IP66-rated Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	FD8162V	735,0 €

Fiksne IP kamere









Slika	Opis	Model	Cena (EUR)
	Vivotek IP8151 1.3-megapixelna (30fps) H.264 fiksna mrežna kamera, vrhunska noćna vidljivost, H.264/MPEG-4/JPEG, Sony Exmor CMOS sensor, Supreme Night Visibility, 720(HD) 30fps - CMOS Sensor * 3.1 ~ 8 mm Vari-focal, Auto-iris Lens * Removable IR-cut Filter for Day & Night Function * Multiple Simultaneous Streams * ePTZ for Data Efficiency * Activity Adaptive Streaming for Dynamic Frame Rate Control * Tamper Detection for Unauthorized Changes * Built-in SD/SDHC Card Slot for On-board Storage * Built-in 802.3af Compliant PoE * CS- or C-mount Adjustment Ring for Flexible Lens Installation * Supports ONVIF Standard	IP8151	531,0 €
	Vivotek IP8151P 1.3-megapixelna (P-iris) H.264 fiksna mrežna kamera, WDR poboljšana Focus Assist, vrhunska noćna vidljivost •1.3 Megapixel CMOS Sensor •Supreme Night Visibility •Up to 30 fps @ 1280x1024 (1.3MP) •3.1 ~ 8 mm Vari-focal, P-iris Lens •Removable IR-cut Filter for Day & Night Function •Built-in Focus Assist Button for Precise Focus Adjustment •Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments •Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) •Simultaneous Multiple Streams •ePTZ for Data Efficiency •Activity Adaptive Streaming for Dynamic Frame Rate Control •Built-in SD/SDHC Card Slot for On-board Storage •Built-in 802.3af Compliant PoE •CS- or C-mount Adjustment Ring for Flexible Lens Installation	IP8151P	585,0 €
	VIVOTEK IP7161 2 Mega-piksela - rezolucija 1600x1200 , dual MPEG4/MJPEG, 1/3.2" CMOS, 4.5 ~ 10 mm Vari-focal, Auto-iris Lens, IR cut filter - dnevna / noćna, CS/C mount ring, DI/DO - digitalni ulazi i izlazi za eksterne senzore i alarme, ugrađen POE - za udaljeno napajanje, SD/SDHC card slot - uz dodatak memorijske kartice moguće snimanje u samoj kameri, mogu joj pristupiti do 10 klijenata sa različitim pravima pristupa zavisno od passworda, u cenu uključen Central Management Client / Server Software za 32 kamere, opcija - kućiče za eksternu montažu	IP7161	355,0 €
	Vivotek IP7361 spoljašnja 2-megapixelna dnevno-noćna fiksna mrežna kamera , 25m IR LED, Vari-focal auto iris, CMOS sensor, Multiple Stream, SD/SD HC Storage, IP67 outdoor, Cable Management	IP7361	531,0 €
	Vivotek IP8161 2-megapixelna H.264 dnevno-noćna fiksna mrežna kamera, H.264/MPEG-4/JPEG, CMOS sensor, Multiple Stream, SD Storage, PoE, Eptz, Video Out	IP8161	462,0 €



	VIVOTEK IP7142 Outdoor IR bullet, WDR CMOS sensor, 3.3-12mm auto-iris lens, 15m IR LED, IR cut-filter, Dual stream, PoE, IP66, S/W	IP7142	372,0 €
 NOVO!	Vivotek IP8335H bullet outdoor IP67 dan-noć IP kamera, 1 MegaPix, 720P HD@30 fps, WDRPro 0.001Lux, IR LED 20m, Vari-focal, P-iris, H.264+MPEG4+MJPEG, ePTZ, Adaptive Streaming, lokalno snimanje, audio, 3xDI+DO, RS485, PoE	IP8335H	472,0 €
	VIVOTEK IP7151 Progressive 1/4" CCD, Dual Stream, Removalbe IR cut filter, Auto iris lens (included), POE built-in- u proadji dok traju zalihе!!!	IP7151	228,0 €
	Vivotek IP7153 Progressive scan PoE dnevno&noćna IP kamera SONY Progressive Scan CCD Module in VGA Resolution * 2.9mm-8.2mm Vari-focal, Auto-iris Lens	IP7153	355,0 €
	VIVOTEK IP7154 dnevno-noćna bežična fiksna kamera - WLAN - SONY Progressive Scan CCD Module in VGA Resolution 2.9mm-8.2mm Vari-focal, Auto iris Lens Removable IR-cut Filter for Day & Night Function Real-time MPEG-4 and MJPEG Compression (Dual Codec) Dual Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.11b/g WLAN Two-way Audio Digital I/O for External Sensor and Alarm	IP7154	391,1 €
	VIVOTEK IP7160 fiksna unutrašnja 2 Mega-pixelna kamera , MPEG4/MJPEG, 1/3.2" CMOS, DI/DO, POE built-in, SD/SDHC card slot - * Auto Iris Lens (Optional) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Multiple Simultaneous Streams * ePTZ for Data Efficiency * Activity Adaptive Streaming for Dynamic Frame Rate Control * Tamper Detection for Unauthorized Changes * 3GPP Mobile Surveillance * Built-in 802.3af Compliant PoE * Two-way Audio *Built-in SD/SDHC Card Slot for On-board Storage	IP7160	221,0 €
	Vivotek IP7330 spoljašnja dan-noć kamera, IP66 vodootporno kucište, PoE , 4mm lens, 10m IR LED, 1xDI, S/W, 1/4" CMOS sunzor u VGA rezoluciji (640x480) * Dual-band Lens for Day and Night Function * Built-in IR Illuminators, effective up to 10 Meters * Real-time MPEG-4 and MJPEG Compression (Dual Codec)* Digital Input for External Sensor	IP7330	156,0 €
	Vivotek IP8332 H.264 spoljašnja dnevno-noćna 1 Mega-pixelna mrežna Bullet kamera sa IC diodama 1.4" CMOS, 1280x800 (30fps) , 3.6 mm lens, 15m IR LED, PoE , IP66, MicroSD/SDHC Card Slot for On-board Storage * Removable IR-cut Filter for Day & Night Function * Built-in IR Illuminators, effective up to 15 Meters * Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) * Digital Input for External Sensor * Supports ONVIF Standard	IP8332	227,0 €
	Vivotek IP8330 H.264 spoljašnja mrežna Bullet kamera sa IC diodama, vrhunska noćna vidljivost, IP66, MicroSD/SDHC Card Slot for On-board Storage .VGA (640x480), Low Lux Rate , 4mm lens, 10m IR LED, PoE , 1xDI, H.264/MPEG-4/JPEG - * Removable IR-cut Filter for Day & Night Function * Built-in IR Illuminators, effective up to 15 Meters * Supports ONVIF Standard	IP8330	223,0 €
 NOVO!	Vivotek IP8331 bullet outdoor IP66 dan-noć IP kamera, VGA 0.3 Mega Pixel @30 fps, IR LED do 10m & 0.001Lux @F1.8, H.264+MPEG4+MJPEG Multi Streams, Adaptive Streaming, Memor. slot za lokalno snimanje, DI, Anti-Tamper, PoE	IP8331	171,0 €
	Vivotek IP7130 unutrašnja PoE fiksna kamera - 0.1Lux - 1/4" CMOS Sensor in VGA resolution (640x480) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams * Tamper Detection for Unauthorized Changes * 3GPP Mobile Surveillance * Two-way Audio * Digital I/O for External Sensor and Alarm * RTSP protocol,CS-mount, https, IPv6	IP7130	152,0 €
	Vivotek IP8132 Video / Audio fiksna IP kamera, H.264/MPEG-4/MJPEG, Ethernet 10/100Mb/s, 3GPP - 1/4" CMOS Sensor in 1280 X 800 resolution, optika 3.45mm/F2.4, Osetljivost 3.0lux, Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec), Multiple Simultaneous Streams Activity Adaptive Streaming for Dynamic Frame Rate Control Privacy Button to Pause Monitoring Tamper Detection for Unauthorized Changes, Supports ONVIF Standard, Potrošnja 3.4W, Napajanje 5VDC	IP8132	139,0 €
	Vivotek IP7133 Dual Codec Dual Streams 3GPP Fixed Network Camera - 1/4" CMOS sensor VGA rezolucija (640x480), optika 4,09mm/F2.0, Privacy button, DI/DO, S/W - Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams * 3GPP Mobile Surveillance * Digital I/O for External Sensor and Alarm * Privacy Button to Pause Monitoring * Stylish Design for Home Decoration - Potrošnja 5W. Napajanje 5VDC	IP7133	88,0 €
	Vivotek IP7134 Video / Audio bežična (802.11b/g) fiksna kamera-Dual Stream, 1/4" CMOS sensor (640x480), optika 4,09mm/F2.0, S/W, 802.11b/g Wireless, Real-time MPEG-4 and MJPEG Compression (Dual Codec) * 3GPP Mobile Surveillance * Built-in 802.11b/g WLAN * Digital I/O for External Sensor and Alarm * Privacy Button to Pause Monitoring * Stylish Design for Home Decoration * Potrošnja 6.6W. Napajanje 5VDC	IP7134	103,0 €
 NOVO!	Vivotek IP8133 mini IP kamera, 1 Mega Pixel, 720P @30 fps, H.264+MPEG4+MJPEG Streams, Adaptive Streaming, Privacy dugme, White LED, PIR senzor, Backlight Compen, mikrofoni i zvučnik - 2-way audio, DI+DO, Anti-Tamper, PoE	IP8133	167,0 €
 NOVO!	Vivotek IP8133W Wireless-N mini IP kamera, 1 Mega Pixel, 720P HD@30 fps, H.264+MPEG4+MJPEG Streams, Adaptive Streaming, Privacy dugme, White LED, PIR senzor, Backlight Compensation, WPS, mikrofoni i zvučnik, DI+DO, Tamper	IP8133W	171,0 €








Fiksne IP Dome kamere			
Slika	Opis	Model	Cena (EUR)
	Vivotek FD8361 2-megapixelsna H.264, dnevno-noćna spoljašnja antivandal kamera u IP67 zaštiti, 20m IR LED, Vari focal auto iris, H.264/MPEG-4/JPEG, CMOS sensor, SD/SDHC On-board Storage, PoE, * 3 ~ 9 mm Vari-focal, Auto-iris Lens* Removable IR-cut Filter for Day & Night Function * Multiple Simultaneous Streams * Activity Adaptive Streaming for Dynamic Frame Rate Control * Tamper Detection for Unauthorized Changes * Built-in Heater and Fan, supported by PoE * 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Supports ONVIF Standard	FD8361	533,0 €
	NOVO! VIVOTEK FD8361L 2-megapixel CMOS Sensor 3 ~ 9 mm Vari-focal, Auto-iris Lens Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, effective up to 20 Meters Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Multiple Simultaneous Streams Video Cropping for Bandwidth Saving ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Tamper Detection for Unauthorized Changes Vandal-proof and Weather-proof IP66 rated Housing Built-in 802.3af Compliant PoE (Class 3) Built-in SD/SDHC Card Slot for On-board Storage Built-in Heater and Fan, supported by PoE 3-axis Mechanical Design for Ceiling/Wall Mount Installation Supports ONVIF Standard to Simplify Integration and Enhance Interoperability	FD8361L	524,0 €
	Vivotek FD8161 2-megapixelna H.264 dnevna&noćna fiksna Dome mrežna kamera, 15m IR LED, Varifocal auto iris, H.264/MPEG4/JPEG, CMOS sensor, SD/SDHC On-board Storage, PoE, ePTZ - CMOS Sensor * 3 ~ 9 mm Vari-focal, Auto-iris Lens * Removable IR-cut Filter for Day & Night Function * Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) * 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Built-in PIR Sensor for Human Detection * Recessed Design with Cable Management for Clean Appearance * Supports ONVIF Standard	FD8161	384,0 €
	Vivotek FD7141 Outdoor fixed dome, Vandal proof, IP66, MJPEG/MPEG4, WDR sensor, Heater & Fan, S/W, 3.3-12mm, POE - u prodaji dok traju zalihe!!!	FD7141	446,0 €
	Vivotek FD7132 Video / Audio unutrašnja fiksna dome dan-noć IP kamera sa IR diodama dometa 15m, 3 ose rotacije, 1/4" CMOS, 3-axis vari-focal lens, Dual Stream, POE built-in, PIR, 15m IR, mechanical IR cut filter - 3.3 ~ 12 mm Vari-focal Lens * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams * 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Built-in PIR Sensor for Human Detection * 3GPP Mobile Surveillance * Two-way Audio * Digital I/O for External Sensor and Alarm * HTTPS Encrypted Data Transmission	FD7132	262,0 €
	Vivotek FD7131 Video / Audio 3-Axis unutrašnja fiksna dome IP kamera sa IR diodama dometa 15m, 3 ose rotacije, 1/4" CMOS, 3-axis lens and wide angle vari-focal board lens, Dual Stream, POE built-in, PIR and white light LED - Wide Angle Vari-focal Lens * optika 2 ~ 4 mm / F 1.4 (wide) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams* 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Built-in PIR Sensor for Human Detection * Built-in White-light Illuminators * 3GPP Mobile Surveillance * Two-way Audio * Digital I/O for External Sensor and Alarm * HTTPS Encrypted Data Transmission	FD7131	225,0 €
	NOVO! Vivotek MD7530 VGA kamera za mobilni video nadzor EN50155 Compliance for Professional Mobile Surveillance Wide Angle Fixed Lens Real-time MPEG-4 and MJPEG Compression (Dual Codec) Dual Simultaneous Streams Temperature Alarm Trigger Tamper Detection for Unauthorized Changes IP67 rated, Tamper- and Vandal-proof Housing Built-in 802.3af Compliant PoE Built-in MicroSD/SDHC Card Slot for On-board Storage	MD7530	218,0 €
	NOVO! Vivotek MD7530D - napajanje 12VDC, ostale karakteristike iste kao MD7530	MD7530D	213,0 €
	Vivotek MD7560 2-megapixelna kompaktna mrežna kamera, antivandal, IP67 (EN50155 standard) - , POE, CMOS Sensor, optika 2.8mm/F=2.0, osetljivost 0,6lux, * Wide Angle Fixed Lens * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Multiple Simultaneous Streams * Video Cropping for Bandwidth Saving * ePTZ for Data Efficiency * Temperature Alarm Trigger * Tamper Detection for Unauthorized Changes * IP67 rated, Tamper- and Vandal-proof Housing * MicroSD/SDHC On-board Storage	MD7560	242,0 €
	Vivotek MD7560D 2-megapixelna kompaktna mrežna kamera, Vandal-proof, IP67 (EN50155 standard), ulaz DC 12~36V - CMOS Sensor, optika 2.8mm/F=2.0, osetljivost 0,6lux, * EN50155 Compliance for Professional Mobile Surveillance * Wide Angle Fixed Lens * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Multiple Simultaneous Streams * Video Cropping for Bandwidth Saving * ePTZ for Data Efficiency * Temperature Alarm Trigger * Tamper Detection for Unauthorized Changes * IP67 rated, Tamper- and Vandal-proof Housing * Built-in MicroSD/SDHC Card Slot for On-board Storage	MD7560D	237,0 €




 NOVO!	Vivotek MD7560X dome outdoor IP67 anti-vandal IK10 IP kamera, 2 MPix, 30 fps, Cognimatics TrueView People Counter ready, ePTZ, DI, tamper i temperaturni alarm, EN50155 standard za EMI i vibracije, pogodna za vozila, PoE	MD7560X	276,0 €
	Vivotek FD8133 1-megapixelna H.264 fiksna Dome mrežna kamera - Easy and Flexible Installation * Compact, Elegant Design * 1/4" CMOS Sensor in 1280 X 800 resolution * Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) * Multiple Simultaneous Streams * Activity Adaptive Streaming for Dynamic Frame Rate Control * Tamper Detection for Unauthorized Changes * Built-in MicroSD/SDHC Card Slot for On-board Storage * 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Supports ONVIF Standard	FD8133	171,0 €
 NOVO!	Vivotek FD8133V mini dome outdoor IP66 anti-vandal IK10 IP kamera, 1 Mega Pixel, 30 fps, 0.3 Lux, H.264+MPEG4+MJPEG Multi Stream, ePTZ, Adaptive Streaming, Cropping, BLC, Privacy maske, lokalno snimanje, DI, anti-tamper	FD8133V	237,0 €
	Vivotek FD8134 1-megapixelna H.264 fiksna Dome dnevno-noćna mrežna kamera - * 1/4" CMOS Sensor in 1280 X 800 resolution * Removable IR-cut Filter for Day & Night Function * Built-in IR Illuminators, effective up to 10 Meters * Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) * Multiple Simultaneous Streams * Built-in 802.3af Compliant PoE * Built-in MicroSD/SDHC Card Slot for On-board Storage * 3-axis Mechanical Design for Ceiling/Wall Mount Installation * Supports ONVIF Standard	FD8134	206,0 €
 NOVO!	Vivotek FD8134V mini dome outdoor IP66 anti-vandal IK10 dan-noć IP kamera, 1 MPix, 30 fps, IR LED do 10m, H.264+MPEG4+MJPEG Multi Adaptive Streaming, ePTZ, BLC, Privacy maske, lokalno snimanje, DI, anti-tamper, PoE	FD8134V	271,0 €
 NOVO!	Vivotek FD8136-F2 Ultra-mini dome IP kamera, 1 MPix, 30 fps, 90° (H) i 62° (V) ugao, Progressive Scan, H.264 Dual Stream, ePTZ, prečnik 90mm - najmanja IP dome kamera na svetu, montaža za 120s, lokalno snimanje, DI, PoE	FD8136	152,0 €










Pokretne IP kamere




Slika	Opis	Model	Cena (EUR)
	VIVOTEK PZ8121 kamera 10x Optički zum Motorized Pan/Tilt (Pan: -150° ~ +150°; Tilt: -45° ~ +90°) Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Multiple Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.3af Compliant PoE Two-way Audio Built-in/External Microphone Switch rezolucija 704x576 do 25fps, 1/4" CCD, I/O, PoE, SIP, QUAD stream	PZ8121	440,0 €
	VIVOTEK PZ8121W 10x optički zum Motorized Pan/Tilt (Pan: -150° ~ +150°; Tilt: -45° ~ +90°) Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Multiple Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.11b/g/n WLAN Two-way Audio Built-in/External Microphone Switch, rezolucija 704x576 do 25fps, 1/4" CCD, I/O, SIP, Wi-Fi, QUAD stream	PZ8121W	465,0 €
	VIVOTEK PZ7121 Dual Dual Streams, PTZ, 10x optical zoom, 1/4" CCD sensor, PoE Built-in, SW, DI/DO - u prodaji dok traju zalihe!!!	PZ7121	396,0 €
	Vivotek PZ7122 bežična pokretna kamera sa 10x optičkim zumom, Dual Streams WLAN P/T/Z Network Camera Dual Streams, PTZ, 1/4" CCD sensor, SW, 802.11b/g Wireless, * Motorized Pan/Tilt (Pan: -150° ~ +150°; Tilt: -45° ~ +90°) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams * 3GPP Mobile Surveillance * Built-in 802.11b/g WLAN * Two-way Audio * Built-in/External Microphone Switch * HTTPS Encrypted Data Transmission * Digital I/O for External Sensor and Alarm	PZ7122	442,0 €
	Dual Streams, PTZ, 2.6x pan focus, 1/4" CCD, POE built-in, DI/DO, S/W - u prodaji dok traju zalihe!!!	PZ7151	490,0 €
	Dual Streams, PTZ, 2.6x pan focus, 1/4" CCD, Wireless 802.11b/g, DI/DO, S/W - u prodaji dok traju zalihe!!!	PZ7152	507,0 €
	Vivotek PZ7131 2.6x Zoom Dual Streams PoE P/T/Z Network Camera - Dual Streams, PTZ, 2.6x pan focus, POE built-in, DI/DO, S/W - 1/4" CMOS Sensor in VGA resolution (640x480) * Motorized Wide-range Pan/Tilt (Pan: +175° ~ -175°; Tilt: +90° ~ -35°) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * 3GPP Mobile Surveillance * Two-way Audio * Built-in/External Microphone Switch * Digital I/O for External Sensor and Alarm	PZ7131	232,0 €
	Vivotek PZ7132 2.6x Zoom Dual Streams WLAN P/T/Z Network Camera - Dual Streams, PTZ, 2.6x pan focus, Wireless 802.11b/g, S/W - 1/4" CMOS Sensor in VGA resolution (640x480) * Motorized Wide-range Pan/Tilt (Pan: +175° ~ -175°; Tilt: +90° ~ -35°) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * 3GPP Mobile Surveillance * Two-way Audio * Built-in/External Microphone Switch * Digital I/O for External Sensor and Alarm	PZ7132	255,2 €

	<p>Vivotek PT7135 IP Video / Audio pokretna kamera - Pan/Tilt, MPEG4, 1/4" CMOS image sensor, RTSP protocol, S/W - Motorized Wide-range Pan/Tilt (Pan: +175° ~ -175°; Tilt: +90° ~ -35°) * Real-time MPEG-4 Compression in VGA Resolution (640x480) * 3GPP Mobile Surveillance * Compact Size with Stylish Design * Triple-window Motion Detection * Pre- and Post- Alarm Snapshots * Superior Low Light Performance</p>	<p>PT7135</p>	<p>142,0 €</p>
	<p>Vivotek PT7137 IP Video / Audio pokretna wireless kamera Wireless 802.11g, Pan/Tilt, MPEG4, 1/4" CMOS image sensor, RTSP protocol, S/W - Motorized Wide-range Pan/Tilt (Pan: +175° ~ -175°; Tilt: +90° ~ -35°) * Real-time MPEG-4 Compression in VGA Resolution (640x480) * 3GPP Mobile Surveillance * Built-in 802.11b/g WLAN * Compact Size with Stylish Design * Triple-window Motion Detection * Pre- and Post- Alarm Snapshots * Superior Low Light Performance</p>	<p>PT7137</p>	<p>171,0 €</p>








Speed Dome IP kamere			
Slika	Opis	Model	Cena (EUR)
	Outdoor speed dome, 18x optical zoom , 1/4" Progressive Scan CCD, removable IR cut filter (w 24V AC adapter), Vandal proof - u prodaji dok traju zalihe!!!	SD7151	1.181,0 €
	Outdoor speed dome, 35x optical zoom , Sony 1/4" Exview HAD CCD, removable IR cut filter (w 24V AC adapter), Vandal proof - u prodaji dok traju zalihe!!!	SD7323	1.426,0 €
	D1 Resolution (30 fps), 12x zoom Day and night , SD storage, Multi-streams ,Endless pan 3D noise reduction, H.264/MPEG-4/JPEG	SD8121	651,0 €
	VIVOTEK SD8321E spoljašnja brzopokretna dan-noć kamera sa 18x optičkim zumom , H.264/MPEG-4/MJPEG, 640x480 rezolucija da 60fps, 1/6" SONY Exview HAD CCD, IR-Cut filter, I/O - D1 SONY EXview HAD CCD Sensor Up to 60 fps @ D1 Resolution 18x Zoom Lens Supports WDR Pro for Unparalleled Visibility in High Contrast Environments 360° Continuous Pan and 90° Tilt Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP66 rated Housing Two-way Audio Audio Detection for Instant Alerts Built-in 802.3at Compliant PoE Plus 3D Privacy Masks for Additional Protection Built-in SD/SDHC Card Slot for On-board Storage -40°C ~ 55°C Wide Temperature Range for Extreme Weather Conditions	SD8321E	1.348,0 €
	VIVOTEK SD8322E spoljašnja brzopokretna dan-noć kamera sa 28x optičkim zumom , H.264/MPEG-4/MJPEG, 640x480 rezolucija do 60fps, 1/6" SONY Exview HAD CCD, IR-Cut filter, I/O, Outdoor D1 SONY EXview HAD CCD Sensor Up to 60 fps @ D1 Resolution 28x Zoom Lens Supports WDR Pro for Unparalleled Visibility in High Contrast Environments 360° Continuous Pan and 90° Tilt Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP66 rated Housing EIS (Electronic Image Stabilizer) for Ultimate Video Experience Two-way Audio Audio Detection for Instant Alerts Built-in 802.3at Compliant PoE Plus 3D Privacy Masks for Additional Protection Built-in SD/SDHC Card Slot for On-board Storage -40°C ~ 55°C Wide Temperature Range for Extreme Weather Conditions	SD8322E	1.454,0 €
	VIVOTEK SD8323E - spoljašnja brzopokretna dan-noć kamera sa 36x optičkim zumom , H.264/MPEG-4/MJPEG, 640x480 rezolucija do 60fps, 1/6" SONY Exview HAD CCD, 36x opt. Zoom, IR-Cut, I/O, Outdoor, D1 SONY EXview HAD CCD Sensor Up to 60 fps @ D1 Resolution 36x Zoom Lens Supports WDR Pro for Unparalleled Visibility in High Contrast Environments 360° Continuous Pan and 90° Tilt Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP66 rated Housing EIS (Electronic Image Stabilizer) for Ultimate Video Experience Two-way Audio Audio Detection for Instant Alerts Built-in 802.3at Compliant PoE Plus 3D Privacy Masks for Additional Protection Built-in SD/SDHC Card Slot for On-board Storage -40°C ~ 55°C Wide Temperature Range for Extreme Weather Conditions.	SD8323E	1.588,0 €
	VIVOTEK SD8362E spoljašnja FULL HD brzopokretna dan-noć kamera sa 20x optičkim zumom , H.264/MPEG-4/MJPEG, 1920x1080 FULL HD rezolucija do 30fps, 1/4" SONY Exmore CMOS 20x opt. Zoom, IR-Cut, I/O, Outdoor. Full HD SONY CMOS Sensor Up to 60 fps @ 720p HD Up to 30 fps @ 1080p Full HD 20x Zoom Lens Removable IR-cut Filter for Day & Night Function 360° Continuous Pan and 90° Tilt Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) WDR Technology for Unparalleled Visibility in High Contrast Environments Weather-proof IP66 rated Housing -40°C ~ 55°C Wide Temperature Range for Extreme Weather Conditions Audio Detection for Instant Alerts Built-in 802.3at Compliant PoE Plus 3D Privacy Masks for Additional Protection Built-in SD/SDHC Card Slot for On-board Storage	SD8362E	1.939,0 €








Megapikselsne IP kamere			
Slika	Opis	Model	Cena (EUR)
	VIVOTEK IP7161 2 Mega-piksela - rezolucija 1600x1200, dual MPEG4/MJPEG, 1/3.2" CMOS, 4.5 ~ 10 mm Vari-focal, Auto-iris Lens, IR cut filter - dnevna / noćna, CS/C mount ring, DI/DO - digitalni ulazi i izlazi za eksterne senzore i alarne, ugrađen POE - za udaljeno napajanje, SD/SDHC card slot - uz dodatak memorijske kartice moguće snimanje u samoj kameri, mogu joj pristupiti do 10 klijenata sa različitim pravima pristupa zavisno od passworda, u cenu uključen Central Management Client / Server Software za 32 kamere, opcija - kućište za eksternu montažu	IP7161	355,0 €
	Vivotek IP7361 spoljašnja 2-megapixelna dnevno-noćna fiksna mrežna kamera , 25m IR LED, Varifocal auto iris, CMOS sensor, Multiple Stream, SD/SD HC Storage, IP67 outdoor, Cable Management	IP7361	531,0 €
	Vivotek FD8361 2-megapikselsna H.264, dnevno-noćna, antivandal dome kamera za spoljašnju montažu, 20m IR LED, Vari focal auto iris, H.264/MPEG-4/JPEG, CMOS sensor, SD storage, PoE, IP67 zaštita	FD8361	533,0 €




	Vivotek IP8161 2-megapixelna H.264 dnevno-noćna fiksna mrežna kamera, H.264/MPEG-4/JPEG, CMOS sensor, Multiple Stream, SD Storage, PoE, Eptz, Video Out, 3 ~ 8 mm Vari-focal, Auto-iris Lens Removable IR-cut Filter for Day & Night Function Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Multiple Simultaneous Streams ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Tamper Detection for Unauthorized Changes Built-in 802.3af Compliant PoE Built-in SD/SDHC Card Slot for On-board Storage CS- or C-mount Adjustment Ring for Flexible Lens Installation BNC Connector for Analog Video Output Supports ONVIF Standard to Simplify Integration and Enhance Interoperability	IP8161	462,0 €
	VIVOTEK IP7160 fiksna unutrašnja 2 Mega-pixelna kamera , MPEG4/MJPEG, 1/3.2" CMOS, DI/DO, POE built-in, SD/SDHC card slot - * Auto Iris Lens (Optional) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Multiple Simultaneous Streams * ePTZ for Data Efficiency * Activity Adaptive Streaming for Dynamic Frame Rate Control * Tamper Detection for Unauthorized Changes * 3GPP Mobile Surveillance * Built-in 802.3af Compliant PoE * Two-way Audio * Built-in SD/SDHC Card Slot for On-board Storage	IP7160	221,0 €
	VIVOTEK IP8162 2-megapixel CMOS Sensor 3.1 ~ 8 mm Vari-focal, Auto-iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in Focus Assist Button for Precise Focus Adjustment Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Simultaneous Multiple Streams Video Cropping for Bandwidth Saving ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Built-in SD/SDHC Card Slot for On-board Storage Built-in 802.3af Compliant PoE	IP8162	619,0 €
	Vivotek IP8162P 2-megapixelna Full HD (P-iris) Focus Assist WDR poboljšana H.264 dnevna&noćna fiksna mrežna kamera - 2-megapixel CMOS Sensor 3.1 ~ 8 mm Vari-focal, P-iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in Focus Assist Button for Precise Focus Adjustment Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Simultaneous Multiple Streams Video Cropping for Bandwidth Saving ePTZ for Data Efficiency Activity Adaptive Streaming for Dynamic Frame Rate Control Built-in SD/SDHC Card Slot for On-board Storage Built-in 802.3af Compliant PoE	IP8162P	651,0 €
	VIVOTEK IP8362 2-megapixel CMOS Sensor 3 ~ 9 mm Vari-focal, Auto-iris Lens Up to 30 fps @ 1080p Full HD Removable IR-cut Filter for Day & Night Function Built-in IR Illuminators, effective up to 15 Meters Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Weather-proof IP67 rated Housing Built-in 802.3af Compliant PoE Built-in SD/SDHC Card Slot for On-board Storage Mounting Bracket with Cable Management for Protected Installation	IP8362	617,0 €
Bežične(Wireless) IP kamere			
Slika	Opis	Model	Cena (EUR)
	VIVOTEK IP7154 dnevno-noćna bežična fiksna kamera - WLAN - SONY Progressive Scan CCD Module in VGA Resolution 2.9mm~8.2mm Vari-focal, Auto iris Lens Removable IR-cut Filter for Day & Night Function Real-time MPEG-4 and MJPEG Compression (Dual Codec) Dual Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.11b/g WLAN Two-way Audio Digital I/O for External Sensor and Alarm	IP7154	391,1 €
	VIVOTEK PZ8121W 10x optički zum Motorized Pan/Tilt (Pan: -150° ~ +150°; Tilt: -45° ~ +90°) Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) Multiple Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.11b/g/n WLAN Two-way Audio Built-in/External Microphone Switch, rezolucija 704x576 do 25fps, 1/4" CCD, I/O, SIP, Wi-Fi, QUAD stream	PZ8121W	#REF!
	Vivotek PZ7122 bežična pokretna kamera sa 10x optičkim zumom, Dual Streams WLAN P/T/Z Network Camera Dual Streams, PTZ, 1/4" CCD sensor, SW, 802.11b/g Wireless, * Motorized Pan/Tilt (Pan: -150° ~ +150°; Tilt: -45° ~ +90°) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * Dual Simultaneous Streams * 3GPP Mobile Surveillance * Built-in 802.11b/g WLAN * Two-way Audio * Built-in/External Microphone Switch * HTTPS Encrypted Data Transmission * Digital I/O for External Sensor and Alarm	PZ7122	442,0 €
	VIVOTEK PZ7152 Dual Streams, PTZ, 2.6x pan focus, 1/4" CCD, Wireless 802.11b/g, DI/DO, S/W - u prodaji dok trajaju zalih!!!	PZ7152	365,4 €
	Vivotek PZ7132 2.6x Zoom Dual Streams WLAN P/T/Z Network Camera - Dual Streams, PTZ, 2.6x pan focus, Wireless 802.11b/g, S/W - 1/4" CMOS Sensor in VGA resolution (640x480) * Motorized Wide-range Pan/Tilt (Pan: -175° ~ -175°; Tilt: +90° ~ -35°) * Real-time MPEG-4 and MJPEG Compression (Dual Codec) * 3GPP Mobile Surveillance * Two-way Audio * Built-in/External Microphone Switch * Digital I/O for External Sensor and Alarm	PZ7132	233,2 €

	Vivotek IP7134 Video / Audio bežična (802.11b/g) fiksna kamera-Dual Stream, 1/4" CMOS sensor (640x480), optika 4,09mm/F2.0, S/W, 802.11b/g Wireless, Real-time MPEG-4 and MJPEG Compression (Dual Codec) * 3GPP Mobile Surveillance * Built-in 802.11b/g WLAN * Digital I/O for External Sensor and Alarm * Privacy Button to Pause Monitoring * Stylish Design for Home Decoration * Potrošnja 6.6W, Napajanje 5VDC	IP7134	116,0 €
	Vivotek IP7152 SONY Progressive Scan CCD Module in VGA Resolution 2.9mm-8.2mm Vari-focal, Auto-iris Lens Removable IR-cut Filter for Day & Night Function Real-time MPEG-4 and MJPEG Compression (Dual Codec) Dual Simultaneous Streams 3GPP Mobile Surveillance Built-in 802.11b/g WLAN Two-way Audio Digital I/O for External Sensor and Alarm Includes Free Standard 32-CH ST7501 Central Management Software - u prodaji dok traju zalihe!!!	IP7152	343,0 €
	Vivotek IP6127 Real-time MPEG-4 and MJPEG Compression (Dual Codec) Two-way Audio Built-in 802.11b/g WLAN UPnP and Dynamic IP (DDNS) Triple-window Motion Detection Pre- and Post- Alarm Snapshots Digital I/O for External Sensor and Alarm Day & Night IR Lens (Optional) Auto Iris Lens (Optional) u prodaji dok traju zalihe!!!	IP6127	124,1 €



IP Video serveri i IP Risiveri




Slika	Opis	Model	Cena (EUR)
	VIVOTEK VS2403 4 channels, MJPEG, 1 RS232/RS485, 4 sets of DI/DO, S/W	VS2403	335,0 €
	Vivotek VS8102 - 1-CH triple codec video server, H.264/MPEG4/MJPEG D1 real Time for each ch, Onvif Standard, 3D De-interlacer, 30fps @ D1 30fps, Multiple streams, SD/SDHC storage, PoE	VS8102	242,0 €
	MJPEG/MP4 real-time decoding, 1-ch D1 at 30 fps, 4-ch CIF,4 digital outputs, RS-485	RX7101	237,0 €
	VS7100 video server 1-kanalni, MJPEG/MP4 dual stream simultaneously, RS485, up to D1 resolution, 4 sets of DI/DO, S/W	VS7100	159,0 €
	VS3100P video server 1-kanalni, MPEG4, S/W - u prodaji dok traju zalihe!!!	VS3100P	119,0 €
	Vivotek VS8801 H.264 8-kanalni Video Server Up to 30 fps in D1 Resolution •Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) •8-CH Video and Audio In •Tamper Detection for Unauthorized Changes •Two-way Audio •8 Digital I/O for External Sensor and Alarm •RS-485 Interface for PTZ Camera Control •DC 12V / AC 24V Compatible Power Input •Activity Adaptive Streaming for Dynamic Frame Rate Control •Professional Rack Mount Compatible Design	VS8801	748,0 €
	Vivotek VS8401 H.264 4-kanalni Video Server Up to 30 fps in D1 Resolution Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) 4-CH Video and Audio In Two-way Audio RS-485 Interface for PTZ Camera Control 4 Digital I/O for External Sensor and Alarm Built-in SD/SDHC Card Slot for On-board Storage DC 12V / AC 24V Compatible Power Input Professional Rack Mount Compatible Design Supports Gigabit Ethernet Data Transmission	VS8401	483,0 €

Mrežni video rekorderi (NVR)			
Slika	Opis	Model	Cena (EUR)
 	<p>KNR-090 (NVR4) 4-kanalni mrežni video rekorder KNR-090 Standalone Linux based NVR Manage/Record/View up to 4 IP cameras/videoservers simultaneously Screwless hard drive installation Web based access using Java - supports Microsoft Windows (Internet Explorer, Mozilla Firefox etc.), Linux and Apple Mac OS Open solution - support of various IP cameras from different manufacturers Easy setup of the unit and connected devices (many tasks done automatically) Easy recordings search, playback and export Easy remote access from the Internet - Fully automatic or Manual router setup Trully Megapixel Ready - up to 5 megapixel cameras supported Rule scripting language for programming custom scripts Support of I/O devices, values also available for scripting 1x 3.5" SATA I or II hard drive (not included) High stability, no viruses, no spyware Compact size and quiet operation Low power consumption - green and cost effective solution</p>	KNR-090 (NVR4)	243,0 €
	<p>KNR-200 (NVR-8) 8-kanalni mrežni video rekorder KNR-202 Standalone Linux based NVR Manage/Record/View up to 8 (KNR-200) or 12 (KNR-202) or 16 (KNR-206) IP cameras/videoservers simultaneously Web based access using Java - supports Microsoft Windows (Internet Explorer, Mozilla Firefox etc.), Linux and Apple Mac OS Open solution - support of various IP cameras from different manufacturers Easy setup of the unit and connected devices (many tasks done automatically) Easy recordings search, playback and export Easy remote access from the Internet - Fully automatic or Manual router setup Trully Megapixel Ready - up to 5 megapixel cameras supported Rule scripting language for programming custom scripts Support of I/O devices, values also available for scripting 2x 3.5" SATA I or II hard drive (not included) High stability, no viruses, no spyware Compact size and quiet operation Low power consumption - green and cost effective solution</p>	KNR-200 (NVR-8)	345,6 €
	<p>KNR-202 (NVR-12) 12 kanalni mrežni video rekorder KNR-202-ISTE KARAKTERISTIKE KAO KNR-200</p>	KNR-202 (NVR-12)	467,1 €
	<p>KNR-206 (NVR-16) 16 kanalni mrežni video rekorder KNR-206-ISTE KARAKTERISTIKE KAO KNR-200</p>	KNR-206 (NVR-16)	579,7 €
	<p>Dahua NVR-3216 NVR-16 kanalla - snimanje 16 kanala u D1 rezoluciji u 400fps, 8 kanala u 720p rezoluciji u 200fps, 4 kanala u 1080p rezoluciji u 100fps; maksimalna brzina snimanja do 32Mbps, 1 HDMI izlaz, 1 VGA izlaz, izlazna rezolucija do 1920x1080, 16 alarmnih ulaza, 3 relejna izlaza, mogućnost priključenja do 2 SATA hard diska, nadzor putem Interneta, softver za pametne mobilne telefone, 220VAC Podržani proizvođači IP kamera : VIVOTEK (ONVIF modeli), SONY, Dahua, Arcsight, Vision, AXIS, Canon</p>	NVR3216	322,00 €
	<p>Vivotek NR8201 4-kanalni H.264 Network Video Recorder Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) •Simultaneous Viewing & Recording up to 4 Network Cameras •Removable & Lockable HDD Design for Easy Changing •Compatible with VAST Central Management Software •Built-in 802.3af Compliant 4-CH PoE •Camera Management with Automatic Camera Installation and Configuration •Professional Rackmount Design •External eSATA Interface for The Expansion of Video Recording •External USB Interface for Video Backup •LED Indicator for Quick Status Display •Integrated Firewall Protects System from Network Attacks and Unauthorized Access •Built-in Gateway for Separating The Networks from The Network Cameras and Data Transmitting •Support E-mail Alert Notification •Power Timer for Power Safety •Support All Series of VIVOTEK Cameras</p>	NR8201	555,0 €












	<p>Vivotek NR8301 8-kanalni H.264 Network Video Recorder Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec) •Simultaneous Viewing & Recording up to 8 Network Cameras</p> <ul style="list-style-type: none"> •Removable & Lockable HDD Design for Easy Changing •Compatible with VAST Central Management Software •Built-in 802.3af Compliant 4-CH PoE •Camera Management with Automatic Camera Installation and Configuration •Professional Rackmount Design •External eSATA Interface for The Expansion of Video Recording •External USB Interface for Video Backup •LED Indicator for Quick Status Display •Integrated Firewall Protects System from Network Attacks and Unauthorized Access •Built-in Gateway for Separating The Networks from The Network Cameras and Data Transmitting •Support E-mail Alert Notification •Power Timer for Power Safety •Support All Series of VIVOTEK Cameras 	NR8301	839,0 €
	<p>32-kanalni NVR, udaljeno ili lokalno snimanje i monitorisanje, rack-mount 4U/19", dim. 485 x 177 x 480mm (ŠxVxD), više boja, Gigabit LAN 10/100/1000Mb/s, HDD 1 TB uključen u cenu (može se proširivati do 8 TB, opcija i HDMI izlaz) - licence za 32 Vivotek IP kamere uključene u cenu !</p>	Vivotek IP NVR-32 ST7501	
	Dodatna VAST licenca za 1 Vivotek IP kameru	Dodatna VAST licenca za 1 Vivotek IP kameru	29,5 €

Mrežni video rekorderi - (NVR) profesionalna serija za velike sisteme - rek montaža





	<p>16 kanalni mrežni video rekorder KRR-416 Standalone Linux based NVR Manage/Record/View up to 24 IP cameras/videoservers simultaneously Rack mount form factor Web based access using Java - supports Microsoft Windows (Internet Explorer, Mozilla Firefox etc.), Linux and Apple Mac OS Open solution - support of various IP cameras from different manufacturers Easy setup of the unit and connected devices (many tasks done automatically) Easy recordings search, playback and export Easy remote access from the Internet - Fully automatic or Manual router setup Trully Megapixel Ready - up to 5 megapixel cameras supported Rule scripting language for programming custom scripts Support of I/O devices, values also available for scripting 4x 3.5" SATA I or II hard drive (not included) High stability, no viruses, no spyware Compact size and quiet operation Low power consumption - green and cost effective solution</p>	KRR-416 (NVR 16R)	1.078,5 €
	<p>24 kanalni mrežni video rekorder KRR-424 iste karakteristike kao KRR-416</p>	KRR-424 (NVR 24R)	1.458,2 €

	Redudantno napajanje za KRR seriju NVR-ova 150W	KRR-4XX-PSU 150W	313,9 €
Vivotek ST7501 i VAST Central Management Software			
Slika	Opis	Model	Cena (EUR)
	<p>Vivotek ST7501 Central Management Software:</p> <ul style="list-style-type: none"> * Client/Server for Remote/Local Video Management * Real-time 32-channel Live Video Monitoring * Simultaneous 16-channel Playback * Efficient Recording System * Pan/Tilt/Zoom Camera Control Interface * Powerful Playback Control Functions * Role-based User Account Management * Lightweight Remote Login to Access All Functions * Easy-to-use Snapshot Function * Exports AVI Files to Local Host * Seamlessly Integrates with All VIVOTEK Cameras * Supports Dual-stream Live Viewing and Recording * Cameras Accessible through NAT 	Vivotek ST7501	
	<ul style="list-style-type: none"> * Remote Access via Client/Server Architecture * Hierarchical Unlimited Number of Stations * Effective & Reliable Event Trigger Management * 64-channel Viewing, 16-channel Playback * Multiple Simultaneous Streams * Activity adaptive Streaming * Synchronous/ Asynchronous Playback * Efficient Data Backup, Search, Export * Intelligent PTZ/ e-PTZ Remote Camera Control * Video compression : H.264, MPEG-4, MJPEG * Audio: AAC, GAMR, G.7221, G.729A, G711, G711A * Recording type: Manual, Schedule, Event trigger * Event sources: Motion, Tampering, DI/O, PIR, IVA, and Temperature 	Vivotek VAST	265,0 €
	Dodatna VAST licenca za 1 Vivotek IP kameru	Dodatna VAST licenca za 1 Vivotek IP kameru	29,5 €

PoE svičevi, injektori,...

Slika	Opis	Model	Cena (EUR)
	TP-Link TL-SF1008P 8-port 10/100Mb/s Desktop PoE Switch sa 4 PoE porta 802.3af do 15.4W (ukupni max. 53W)	TL-SF1008P	51,90 €
	TP-Link TL-PoE200 PoE komplet, Injektor + Splitter (izlaz se može podešavati na 5V, 9V ili 12V DC) + AC/DC adapter 48V - 0,5A - Power over Ethernet (za napajanje uređaja preko UTP kabla)	TL-PoE200	17,47 €
	TP-Link TL-PoE150S PoE Injektor (Supplier Adapter) 802.3af, sa AC/DC adapterom 48V max. 15.4W - Power over Ethernet	TL-PoE150S	15,82 €
	Planet FNSW-1608PS 16-Port 10/100Mbps/8-Port PoE upravljiv svic	FNSW-1608PS	203,80 €
	CISCO SLM2008PT-EU SG 200-08P 8-port Gigabit PoE Smart Switch	SLM2008PT-EU	232,91 €
	SRW2008P-K9-EU SG 300-10P 10-port Gigabit PoE Managed Switch	SRW2008P-K9-EU	397,47 €
	CISCO SRW2008MP-K9-EU SG 300-10MP 10-port Gigabit Max-PoE Managed Switch	SRW2008MP-K9-EU	474,68 €
	CISCO SLM224PT-EU SF 200-24P 24-Port 10/100 PoE Smart Switch	SLM224PT-EU	389,87 €
	CISCO SLM2024PT-EU SG 200-26P 26-port Gigabit PoE Smart Switch	SLM2024PT-EU	592,41 €
	CISCO SLM248PT-G5 SF 200-48P 48-Port 10/100 PoE Smart Switch	SLM248PT-G5	712,66 €
	CISCO SRW2024P-K9-EU SG 300-28P 28-port Gigabit PoE Managed Switch	SRW2024P-K9-EU	829,11 €

EATON UPS-evi

Slika	Opis	Model	Cena (EUR)
	EATON Line-Interactive UPS NV 1000H, 1000 VA / 600W, tower	NV 1000H	161,4 €
	EATON Line-Interactive UPS NV 1400H, 1400 VA / 840W, tower	NV 1400H	193,7 €
	EATON Line-Interactive UPS NV 2000H, 2000 VA / 1200W, tower	NV2000H	279,7 €
	EATON Line-Interactive UPS 5130 Rack-mount (2U), XL, 2500VA/2250W PW5130i2500-XL2UAU	PW5130i2500-XL2UAU	860,8 €

Dodatna oprema			
Slika	Opis	Model	Cena (EUR)
	Za sve Vivotek fiksne IP kamere modeli IP3xxx / IP6xxx / IP7xxx / IZ7xxx - radna temperatura -20 do +50C, ventilator, grejač kod prednjeg stakla (otpornije na inje i zamagljivanje), termostat za kontrolu ventilatora i grejača, kabl u kućište ulazi kroz držač, IP66 zaštita od spoljašnjih uticaja (neke VIVOTEK kamere već dolaze sa eksternim kućištem pa nema potrebe dokupljivati ga posebno!)	Eksterno kućište IP66 sa držačem, ventilatorom, grejačem i termostatom	47,0 €
	Spoljno kućište, sa grejačem i termostatom 340mm	GL-601SH	17,5 €
	Spoljno kućište, sa grejačem i termostatom 410mm	GL-606H	17,5 €
	Spoljno kućište, sa grejačem, termostatom i ventilatorom 470mm	GL-607HB	27,0 €
	GL-618H Spoljno kućište, sa grejačem i termostatom, bočno otvaranje 375mm, dostupni u bež i silver boji, verzije na 12V ili 220V	GL-618H	23,0 €
	GL-619HB Spoljno kućište, sa grejačem, termostatom i ventilatorom, bočno otvaranje	GL-619HB	31,0 €
	Metalni nosač za GL-601SS/605S/601H	GL-205	4,5 €
	Metalni nosač za GL-606H i GL-607	GL-210	4,5 €
	GL-208 Metalni nosač za GL-618H i GL-619HB kanal za prolaz kablova, dostupni u bež i silver boji	GL-208	8,5 €
	Metalni nosač za plafonsku montažu - lula, za GL-601/605/606	GL-215	11,5 €
	Kućište kamere u protiv eksplozivnoj zaštiti EEXd IIC T6, IP68, grejač, termostat, nosač, 12Vdc	WS-100EX	1.445,0 €
	Spoljašnje kućište sa IP 67 zaštitom, sa grejačem, štitnikom za sunce i nosačem sa uvodnikom kablova, Ganz, Nemačka	GHKIT230	94,0 €
	2-megapikslna optika 1/3" 2,8 - 12mm, F1.4, manual iris, manual focus, CS	OPTIKA 2,8-12MI-2MP	34,2 €
	2-megapikslna optika 1/3" 2.8 - 12mm, F1.4, man. Focus, DC-Drive, Mpix ready, CS	OPTIKA 2,8-12AI-2MP	40,5 €
	Za sve pokretne Vivotek PZxxxx / PTxxxx IP kamere - radna temperatura -20 do +50C, automatski uključivanje i isključivanje grejača odn. ventilatora po potrebi, IP66 zaštita (neke VIVOTEK pokretne kamere već dolaze sa eksternim kućištem pa nema potrebe dokupljivati ga posebno!)	Kućište za PZ/PT kamere sa nosačem, ventilatorom, grejačem i termostatom	239,0 €
	Joystick za pomeranje Vivotek PZ7xx IP kamera	HFX 1400 USB Joystick	366,0 €
	4,5-10mm, F1.6, Auto-Iris, Wide - 97.0° x 77.6° x 57.0°, za kamere IP7160, IP7161, IP7138, IP7139	04510A-IR 4.5-10mm, F1.6, Auto-Iris	46,0 €
	TG2Z3514FCS 3.5-8mm, F1.4, CS Mount, F1.4, CS Mount, Wide - 91.0° x 66.6° za sve modele Vivotek CS-mount kamera	TG2Z3514FCS	38,0 €
	IR illuminator, 20 LED units, distance 10m, indoor / outdoor IP68, temp. -10 do +50C, 12 V DC (±10%) - za kamere IP6112/IP6122, IP6117/IP6127, IP7151, IP7152, IP7153, IP7154, IP7161, IP7251, IZ7151, IP8161	Vivotek IR iluminator	27,5 €

Kablovi, konektori kategorija 5e			
	SFTP kabl kat. 5E Draka tip UC300 HS24 4P FRNC/LS0H - testiran do 300MHz, bez halogena	UC300 HS24 4P FRNC/LS0H	0,52 €
	UTP kabl kat. 5E Draka UC300 24 4P - testiran do 300MHz	UC300 24 4P	0,31 €
	UTP kabl kat. 5E Draka UC300 24 4P FRNC / LS0H - testiran do 300MHz, bez halogena	UC300 24 4P FRNC / LS0H	0,32 €
	UTP patch kabl kat. 5E Draka UC300 26 4P - testiran do 300MHz	UC300 26 4P	0,49 €
	UTP eksterni kabl kat. 5e (outdoor)	5e (outdoor)	0,42 €
	FTP kabl kat. 5E, Draka tip UC300 S24 4P FRNC/LS0H - testiran do 300MHz, bez halogena	UC300 S24 4P FRNC/LS0H	0,42 €
	SFTP eksterni samonoseći kabl kat. 5E sa čeličnom žicom - 'Wall', pun presek, metalna folija i širm oko parica	SFTP eksterni	0,63 €
	Modul RJ-45 UTP kat. 5E - kabl se spaja bez alata, 6 boja, T568A/B, Unicom SpeedCap - preporuka za kat. 5E, brza instalacija bez mogućnosti greške	RJ-45 UTP kat. 5E	1,10 €
	Modul RJ-45 STP kat. 5E Fully Shielded - kabl se spaja bez alata, T568A/B, Unicom SpeedCap	RJ-45 STP kat. 5E Fully Shielded	1,65 €
Kablovi, konektori kategorija 6,6a, 7			
	Modul RJ-45 UTP kat. 6 - kabl se spaja bez alata, 6 boja, T568A/B, Unicom SpeedCap - brza instalacija bez mogućnosti greške	RJ-45 UTP kat. 6	1,58 €
	UTP kabl kat. 6 Draka tip UC400 23 4P FRNC - testiran do 400MHz, bez halogena		0,43 €
	STP kabl kat. 6 Draka tip UC400 S23 4P FRNC - testiran do 400MHz, bez halogena (poboljšani FTP)		0,55 €
	SFTP kabl kat. 6 Draka tip UC400 HS23 4P FRNC/LS0H - testiran do 400MHz, bez halogena		0,70 €
	FTP kabl kat. 6A, Draka tip UC500 S23 4P FRNC - testiran do 500MHz za 10GbE, bez halogena		0,55 €
	SFTP kabl kat. 7+ Draka tip UC900 HS23 4P FRNC testiran do 900MHz, bez halogena		0,65 €
	SFTP eksterni kabl kat. 7+ Draka tip UC900 SS23 4P PE Outdoor - testiran do 900MHz		1,10 €